

Preserved

G. R. S. IX-5]

Previous references.

File No. 68-18

P 32E

1918.

Serial Nos. 1-8

(67)

Later references.

G. 7. 66-19-45 546.

GENERAL AND REVENUE SECRETARY.

Serial Nos. 8

Part B for June 1919.

SUBJECT.

Budget Estimates of The Electrical
Department

from
The Comptroller. No. 552/1340 of 17.8.1918.

Suggests the opening of new heads in the budget to record charges incurred by the Electrical Department other than those relating to the C.P.S., like those relating to (1) Telephone System, (2) Cyanamide Experiments and (3) Jof. Scheme Survey.

L: 8.

To The Comptroller, Sect, P.W.D. returning papers, Chief Electrical Engineer, Examiner of Accountants, Mysore Railways and Secretary for Railways.

No. 72680 of 4.8.18. 6. 1919.
Sanctions the Comptroller's proposals made in his letter of 5.3.1919 for opening suitable capital & revenue heads.

for recording the transactions of the Electrical Department
and for opening new minor heads under 35 mis. by Ex-
penditure.

8/5
2/17/91/1919

1918-19

GENERAL AND REVENUE SECRETARIAT.

(4.7)

NOTES.

File No. 68-18

FILE HEADING.

Budget Estimates of the Electrical Dept.

From

The Comptroller to Govt.

No. 552/Books Dated 17. 8. 18 Received 19. 8. 18
20

Diary No. 495

Enclos. / Spare Copies.

Serial No. /

BRIEF ABSTRACT OF LETTER.

Suggests the opening of new heads in the budget to record charges incurred by the Electrical Dept other than those relating to the C. P. S., like those relating to (1) Telephone System, (2) Cyanamide Experiments and (3) 909 Scheme Survey.

NOTES AND ORDERS.

2. From the Chief Electrical Engineer
Memo forwarding for information copy of his letter no: 10933-9 of 27. 8. 18 to the Comptroller proposing the most suitable heads for the Budget & Accounts of his Dept.

NOTES -- First Sheet

WD 1252-GPB-20,000-18-11-1a

Subd for orders. Is there not a ^{particular} ^{particular} from the

Comptroller in this matter

m
22/8

2/9/18

47 File No. 68 of 1918.

Serial
No.

Pubd

No refce has been received from the Comptroller
on the proposals contained in 81(2)

400

10/9/18

12-9-18

4 Was 7.8 cancelled re P.W.D.
before issuing letter 24/1-18 to Comptroller
Please send for the papers leading
up to that cancellation. Once if we
have already received any opinion

18
25/9/18.

5 Draft subd

400

29/9/18

6 Issued 30/9/18

3. To The Asst Secretary, P.W.D.

no: 74 1874 Dated 5th October 1918
Requests to send for reference and
return the file of papers leading
to the issue of letter no: 24/79 dated
4th January 1918 to the Chief Electrical
Engineer re: Telephone charges

G. 7

File No.

68

of 1918

Serial
No.

4.

From the Secretary, P. W. D.
 No. C. P. S. 649 dated 10th Sep: 1918
 States that the funds required
 during 1918-19 on account of
 initial and recurring charges
 relating to the Bangalore and Mysore
 City Telephone Systems total up to
 Rs 27,000 as reported by the Chief Electrical
 Engineer & requests orders for including
 the amount in the Budget for 1918-19
 by a corresponding reduction of the
 grant allotted for the P. W. proper
 which can be done in the Genl Reapppr
 Statement later on.

7 Subd.

The papers called for from the P. W. Secy
 in letter no: 41874 dt 5/10/18 may be availed.

Hse
5/10/18

8

Make up from requisites &
 Report. Cont. No. 18

By the Secy to Govt

G. 600

L. 18

Serial
No.

5

From the Secy, P. W. D
 D.O. No: C. P. S. 753 D $\frac{18}{23}$ 10.18
 Sends the file of papers relating
 to the issue of the order under
 which the C. E. Engineer is reqd to
 make provn in the C. P. S. Budget
 in future to meet the Capital Cost
 of the maintenance charges of the
 telephone systems in Bangalore & Mysore
 & States that the outlay is not a debit
 against the C. P. S., that the provn made
 for the work does not affect the C. P. S.
 revenue & that the charges are to be
 finally transferred to the P. W. Budget
 for adjustment.

Subd

H. S.
7-11-18H. S.
29-4-18
11-12-18

V. M.

Reference is invited to Fint 9/Secy's
 note dated 19.4.18.

(2) There are 3 letters for Disposal

I. Complis letter of 19.8.18.

II. Chief Electrical Engineer's letter
 to the Compt - ^{Copy} of which is sent
 to us -

III. Mr. Secy's letter of 10.9.18.

in reply refer to no I and request
 admin. in it For facilitating

9.7 File No. 68 of 1918

Serial
No.

Original was sent to the Chief of the
Comptroller in respect of the observations made
by the Comptroller Chief Electric Engineer in II.
13 Please invite refer to this letter and
request the Comptroller further views in the
matter - enable for to pass orders on
his reference No. I.

Immediate plan

18
14.12.18

14 Draft subd

Hoo
16.12.18

Issue today

18/12/18

6

To the Comptroller

No. H 2914 of 17.12.1918

Invites reference to letter of 27/12/18
from the Chief Electrical Engineer
to him & requests to furnish his
further views in the matter to enable
for to pass orders on his reference of 17/12/18

Subd

no reply has been received

Draft reminder is subd

Hoo

27/1/19

17 Issue

28.1.19

97

File No.

68

of 1918.

Serial
No.

To the Comptroller

Reminder no: R 3731 & 30/1/19.

Requests communication of his further
views called for

From Comptroller.

No: G.P.S. & 1079 & 29.1.1919.

Requests early orders on his proposals

Subd.

When a reply to our letter St 6 is due
from the Comptroller, it is not clear why this
reminder has been sent to us.

24/2/19

There is no reply: in it
to be sent but it is not. Perhaps
drop saying that information
has been called for in this office
letter of 17.8.18 could be
replied

2.2.19.

20 Draft filed

H.R.S.

8/2/19

m

Subd. The draft proposed is not
necessary as the following advertisement
reply has been received from the Comptroller.

(P.T.O)

Serial
No.

Dispute has arisen about the views of the
Comptroller in respect of the observations made
by the Chief Electrical Engineer in II
13 Please invite reply to this letter and
request the Comptroller further views in the
matter - Enable for: to pass orders in
his opinion - No. I.

Immediatly please.

18
14.12.18

14 Draft subd

Hoo

16.12.18

m

Issue today

18/12/18

6

To the Comptroller

No: H 2914 of 17.12.1918

Invites reference to letter of 27/12/18
from the Chief Electrical Engineer
to him & requests to furnish his
further views in the matter to enable
for: to pass orders on his ref of 17/12/18

16 Subd

no reply has been received
Draft reminder is subd

Hoo

27/1/19

m

17 Issue

28.1.19

2001
2104
m24

7

Serial
No.

From the Comptroller

No: 2258/Books of 7. 2. 1919
States that he is in communi-
cation with the Chief Electrical
Engineer & that a reply will
be sent to Govt. shortly.

Subd.

Hrs.

12/2/19

Send an ad interim ltr
to P. N. Secy - in re his letter
of 10. 5. 18. Since Mr. Secy
furnishing copy of Comptroller's
letter. &
keep in his.

* Subd
This has been done
in No 3881 of 12/2/19
Hrs.
8/3/19

24 VN

7 From the Comptroller

No: Books 2509 of 5. 3. 1919
Furnishes his views called for in
Serial 6.

24 Subd. for orders.

Hrs.

8/3/19

ms

The joint proposals of the
Comptroller & the C.S. & E. are submitted
and require approval - if
the P. N. Secy has no objection.

I am not quite sure that
separate subheads are being
under 35th. My expenditure
as proposed by Comptroller - One of

* W Secy
of - in
the Comptroller
is - as
he initiated

G. R. S. III-2]

General and Revenue
Secretariat.

G. P. File No. 68 of 1918-19

Serial
No.

The chief objection raised in H. V. Datta's
note on Classification was ~~the~~ against
the multiplicity of heads -


May the opinion of the Mr. Key be
invited in the R.D.

Forwarded

11.3.19

26 A for Mr. Key

PROVINCIAL SECRETARY
BANGALORE.
APR 1919
22313-18



Forwarded to Mr. Key with Compliments
of opinion.

W. S. Datta

7.4.19

C.P.V. Memo of Mr. Key
a rough reply

11/4/19
10/4/19
do

97 File No.

68 of 1918

Serial
No.

No. No. C.P.S. 355

167889

J. S. S. S.
F.28 Returned with compliments to the Financial
Secretary to Government2.4 The arrangement agreed to by both the
Comptroller of Mysore and the Chief Electrical
Engineer may be adopted as it is necessary to
have distinct heads in order to compile the
capital and the Revenue accounts of the various
schemes.R. Sundaramma
Deputy Secretary to Government

P.W. Department.

Bangalore, 24th April 1919.

P. S. S. S.
182
18/42. m. 18/4
after return
to MysoreWhat are
do this? 18/4
Vide bill of 18/4

Subd

Draft order is put up.

Draft letter to Comptroller forward
ing copy of letter no. C.P.S. 6498
10/9/18 is also put up.

12/5/19

3. The points of the
Comptroller & M.C.E.E. in regard to
the opening of multiple heads in
to the transaction of the Electrical
Dept - Cap & Rev, and, multiple heads
of 35. More by expenditure as

Please address all future communications
to the Comptroller to the Govt. of H. H.
the Maharaja of Mysore.
In reply to this Coma. please refer to

No. 552/Books. *S/one.*

OFFICE OF THE COMPTROLLER TO THE
GOVERNMENT OF HIS HIGHNESS THE MAHARAJA
OF MYSORE.

Dated, Bangalore, the 17 ~~xxx~~ August 1918.

12581

FROM

M. N. KRISHNA RAO, ESQ., B.A.,

Off. Comptroller to the Government of
His Highness the Maharaja of Mysore.

To
Rajamantrapravina
....Dewan Bahadur J. S. Chakravarti....., Esq., M.A., F.R.A.S.,

Secretary to the Government of Mysore,

..... F I N A N C I A L Department.

SIR,

I have the honor to invite reference to letter No. 14/79 dated the 4th January 1918 from the Secretary to Government, P.W.D., to the Chief Electrical Engineer (copy enclosed for ready reference), conveying sanction of Government to the initial and recurring charges relating to the Bangalore and Mysore City Telephone systems being -- shown under a separate section of the Electrical Department Budget in future, instead of as part of the Public Works Budget as hitherto. -- There is now no separate head in the Budget for the Electrical Department apart from those relating to the Cauvery Power Scheme. There is at present one Major head on the Expenditure Side under which is shown all Capital Outlay on the Scheme which is treated as a productive -- undertaking, the Capital Outlay on which is not chargeable to Revenue. Under the Major head on the Receipt Side are shown

- (1) The Gross Revenue of the Scheme
(2) The Working Expenses of the Scheme
& (3) the Net Receipts of the Scheme.

Neither the Capital head on the Expenditure Side nor the Minor head for Working Expenses on the Receipt Side can include any charges of the

Electrical

Electrical Department other than those of the Cauvery Power Scheme itself. For recording, therefore, the charges incurred by the Electrical Department other than those relating to the Cauvery Power Scheme, like those relating to (1) Telephone System, (2) Cyanamide Experiments and (3) Jog Scheme Survey, appropriate heads have to be prescribed. I understand that it is the intention of Government to make the Telephone System a paying commercial concern. The Capital Outlay on the system will be comparatively small and I am not sure if it is worth while --- classifying it as Capital Expenditure outside the Revenue Account. If this Capital charge is treated as met from Revenue, there appears no other appropriate place in the accounts than the group, "Public Works". To keep the telephone transactions separate, an independent Major head - 24A Telephone Works-Capital- may be opened. For showing the Revenue from the system and the Revenue Expenditure on it, a corresponding head has to be opened under departmental receipt group head, "Public Works." This Major head may be, 19A Telephone Works-(1) Gross Receipts-(2) Deduct Working Expenses and (3) Net Receipts. Under this arrangement, the Capital charge on account of the Telephone Works should come from the assignment for the group "Public Works" and this group will also get the benefit of the receipts from the Works. This arrangement need not, -- however, interfere with the administrative control of the Telephone --- Works by the Electrical Department.

The expenditure on Cyanamide Experiments and Jog Falls ^{Survey} now authorised to be incurred is of the nature of preliminary expenses to be met from revenue in the first instance. There is now no head for recording such expenditure except that incurred in connection with the investigation of Railway projects which is shown under "35 Mis: Railway Expenditure." Similar expenditure on undertakings other than Railways is best recorded under the same head with its name suitably modified. I would, therefore, suggest that the name of the head may be altered to "35 Mis: Railway and Electrical Expenditure". The group name of this head may

also be the same.

I have the honor to be,

Sir,

Your most obedient servant,

M. M. C. M. A. R.
Comptroller.

CV/17-8

Fr.
17.8.18

14

vide overleaf.

should

No. 15/80 dated Bangalore 4th January 1918.

Copy of the above is forwarded, with compliments, to the Comptroller of Mysore, for information, with reference to his No. C.P. S. 192 dated the 25th August 17, and this office No. 2009/ 10132 dated the 17th September 17.

Sd. R.V. Sundaram Iyer,
For Secretary to Government
Public Works Department.

C O P Y

For Superintendent, Records Section,
Comptroller's Office.

15

24 Civil Works, Original Works, Major Works
Communications.

Name of Works.	Allotment
1. Rendering safe the existing telephone system in the Mysore City ...	Rs. 2,500
2. Relaying Bangalore-Mysore Telephone Lines along the Cauvery Power Lines via Siva- samudram	7,500
Total Works	10,000
24. Civil Works Repairs in charge of Public Works Officers, Communications, Special Repairs.	
(3) Out of Rs.15,000/- provided against Bangalore Division ...	4,000
(4) Out of Rs.35,772 provided against Mysore Division	4,000
Total Repairs.	8,000
Total Works & Repairs	18,000

94
15.8.10

67767711(2)
GOVERNMENT OF MYSORE

Electrical Department.

GEN. & REV. SECRETARY
16
FINANCIAL
30 AUG 1918
534-18

OFFICE OF THE CHIEF ELECTRICAL ENGINEER.

Bangalore, 27th August 1918
(Mysore, India.)

The Comptroller to the
Government of Mysore,
Bangalore.

Sir,

B u d g e t .

I have the honour to acknowledge the receipt of your memo No.552-Books of the 17th August 1918 forwarding a copy of letter No.552 of even date addressed to the Financial Secretary to the Government of Mysore. In accordance with the personal conversation the undersigned had with you in connection with the Budget Heads of this Department, we wish to say that we consider the following are the most suitable heads for the Budget and Accounts of this Department. The Electrical Department has different activities which are quite independent of each other and it is therefore quite necessary that they should have separate head for the above purposes. We hope you will fully concur with our views and provide for necessary heads accordingly.

I. Budget Heads of Electrical
Department.

I. Hydro Electric Schemes

- (1) Cauvery Power Scheme J
- (2) Jog Falls Scheme ✓
- (3) Krishnaraja Sagara Reservoir Power Scheme.
- (4) Hekadatu Power scheme.



Telegraphic Address
"COMED."

CODES USED
LIEBER'S
A. B. C. (5TH EDITION.)
BUSINESS TELEGRAPH CODE.

27 AUG 1918
27 AUG 1918

17

II. Telephones.

- (1) Bangalore local
- (2) Mysore local
- (3) Palace telephones

III. Cyanamido scheme

IV. ^{Electric} Tramways

V. Miscellaneous experiments and etc.

I would be glad to meet and discuss this with you.

I have the honour to be,

sir,

Your most obedient servant,

12365

SGF-AK.

Chief Electrical Engineer
to the Govt. of Mysore.

Copy forwarded, with compliments, to the
Secretary to the Government of Mysore, Public Works
Department, Bangalore, for information.

Chief Electrical Engineer
to the Government of Mysore.

Copy forwarded, with compliments, to the
Financial Secretary, Bangalore, for information.


Chief Electrical Engineer

X. Su
26.8.10
P. P
K
308
H. V. N.

12

SUBJECT.....
.....
.....

Diary No. of letter replied to.....

Section G 7
File No. 68-4
Serial No. 3.

GENERAL AND REVENUE SECRETARIAT,
()
, the 191 .

No. 321874

Date of issue 5 October

To

^{Asst}
The Secretary P.W.D.

Signed by W. Greenough, Secy

Sir,

I am directed to re-
quest you to be so good as
to send, for reference, the
file of papers leading to
the issue of letter no. 24/79
dated 4th January 1918 to
the Ch. Electrical Engineer
re: Telephone charges.

^{being enclosed}
I have re-
turned the same.
Yours faithfully,
W. Greenough

done
29/9/18
ms

14921
No. C.P.S. 649

67 68-18-4.
D.S. 36
19
Mysore Public Works Department;

Central Office,

Dated Bangalore, 10th September 1918.

72 SEP 1918

14921

S. Cadambi, Esq.,

Offg. Secretary to Government of Mysore,

Public Works Department, Bangalore.

To

Dewan Bahadur Rajamantrapravina

J.S. Chakravarti, Esq., M.A., F.R.A.S., etc.,

Financial Secretary to the Government of Mysore,

B a n g a l o r e.

Sir,

44
Whin
it?
3 K
H-14
I have the honour to invite reference to letter No. 552/Books dated 17th August 1918, ^{from the Comptroller} to your address, regarding the Budget heads under which provision should in future be made for the initial and recurring charges relating to the Bangalore and Mysore City Telephone systems.

2. The funds required during 1918-19, on account of these Telephone systems total up to Rs 27,000, as reported by the Chief Electrical Engineer vide his letter No. 10870-41 dated 19th August 1918 (copy enclosed).

3. I request that orders may now be issued for including this amount in the Budget for 1918-19 under the heads proposed by the Comptroller and for making a corresponding reduction of the grant allotted for the Public Works proper, which can be done in the General Reappropriation statement later on.

I have the honour to be,

Sir,

Your most obedient servant,

For Offg. Secretary to Government,
Public Works Department.

J.R.

Letter No. M.10870-41 dated 19th August 1918 from the Chief Electrical Engineer to the Government of Mysore, to the Secretary to Government of Mysore, Public Works Department, Bangalore.

Local telephones

In returning herewith your memo No.C.P.S.569 of the 3rd August 1918 together with the estimate amounting to Rs615 for running a telephone line and installing a telephone in the new Krishnaraja Hospital at Mysore, I have the honour to inform you that the estimate was prepared in this Department.


2. The funds required for the maintenance of telephone lines in the Bangalore and Mysore Cities and also for their extensions during the year 1918-19 are noted below:-

Annual maintenance of telephone lines at Bangalore	Rs6,000
----do----- at Mysore	5,000
Annual maintenance of Bangalore, Mysore (telephone line.	3,000
Extensions in Bangalore.....	8,000
-do- in Mysore	5,000

and it is requested that they may be kindly sanctioned. This was not included in our budget since funds required for these works were to end of last year transferred from the works of the Public Works Department.

Detailed estimates will be submitted for sanction in due course.

True Copy



Assistant Secretary to Government,

Public Works Department

ni

J.R

Routine Notes.

[Not intended for permanent record.]

Recd 2/15pm

220 No C.P.S. 753

enc. file.

E H V W

D 1188

Gr 68. 18-5

Public Works Secretariat,

Bangalore, 18th October 1918.
23rd

Dear Sir,

As desired in your D.O. letter No. Fl. 1874 dated the 5th October 1918, I send herewith this office file of papers relating to the issue of the order under which the Chief Electrical Engineer is required to make provision in the C.P.S. Budget in future to meet the capital cost and the maintenance charges of the telephone systems in Bangalore and Mysore.

The outlay is not a debit against the Cauvery Power Scheme and the provision made for the work does not affect the C.P.S. revenue. The charges are to be finally transferred to the Public Works Budget for adjustment.

The file may be kindly returned when done with.

Yours sincerely,

K. P. Mahalingam

B. Srinivasalingar, Esq., B.A., B.L.

Financial Assistant Secretary, Bangalore.

W

N.B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

11/12

20/12/18

22

G. R. S. VI—G/32]

SUBJECT.....
.....
.....

Diary No. of letter replied to.....

Section G-2
File No. 68-48
Serial No. 6.

GENERAL AND REVENUE SECRETARIAT,
()
the 191)

No. FL 2914

Date of issue... 17- Decr

To

Signed by W. Green. ru. 11/12

The Comptroller

x H

Sir,
With reference to
your letter no: 552/Books
dated 17th August-1918
suggesting the opening of
new heads in the budget
to record charges incurred
by the Electrical Department
other than those relating to
the C. P. S. like those relating
to (1) Telephone System, —
over.

(2) Cyanamide Experiments
and (3) Log Scheme Survey,
I am directed to invite
your reference to letter
No. 10933-9 dated 27th Aug
1918 from the Chief Electrical
Engineer to you and to
request you to kindly
favour Govt with your
further views in the matter
to enable them to pass orders
on your reference of 17. 8. 1918.

I have &c.

18
16/12
For Finl: Secy.

ny

ny

List of enclosure

Hoo.
16.12.18
mm

Copied by

Examined by

G.7. 68-18-7.
D 2421 /

Please address all future communications
to the Comptroller to the Govt. of H.H.
the Maharaja of Mysore.
In reply to this Comm. please refer to

No. Books. 2509 *6/2*

OFFICE OF THE COMPTROLLER TO THE
GOVERNMENT OF HIS HIGHNESS THE MAHARAJA
OF MYSORE.

Dated, Bangalore, the

~~1918~~ 5. March 1919.

Int'l Secy
CSM

FROM

M. N. KRISHNA RAO, Esq., B.A.

60131

Comptroller to the Government of

His Highness the Maharaja of Mysore.

To
Rajamantrapravina
Dewan Bahadur J. S. Chakravarti Esq., M.A., F.R.A.S.,
Secretary to the Government of Mysore,
FINANCIAL Department.

SIR,

With reference to your letter No.F1.2915/G.F.68-18 dated the 17th December 1918 calling for my further views regarding the heads under which the transactions connected with the new activities of the Electrical Department should be recorded in estimates and accounts, I have the honour to state that I have personally discussed the matter with Mr. Forbes and report in this letter the understanding at which we have arrived.

2. The head 39 Cauvery Power Scheme may be expanded as follows:-

39 Electrical Works.

- Page 83*
7th Nov 1918
1. Cauvery Power Scheme
 2. Krishnarajasagara Power Scheme
 3. Electrical Tramways
 4. Telephones.

I believe the work connected with the Krishnarajasagara Power Scheme is now in progress and have therefore opened a head for it. The question whether this scheme is part of the Dam Project or a branch of the Electrical Department requires consideration. I enclose copies of correspondence with Mr. Forbes on this subject.

I understand from Mr. Forbes that the Electrical Tramways will be built and worked by the Electrical Department and I have accordingly

proposed a separate head for these Tramways under Electrical Works. The Tramways included under "37 Railways and Tramways" will then include only the Steam Tramways like the Tarikere-Narasimharajapura Tramway. I also understand from the same officer that the Telephone System is expected to yield even a profit after paying its way and meeting interest charges. There can therefore be no objection to treat the capital expenditure on this system as Capital Outlay not charged to Revenue. I have accordingly proposed to make the Telephone System a separate minor head of the major head 39 Electrical Works. This arrangement will supersede the suggestion made in para 2 of my letter dated 17th August 1918.

3. There are two schemes which are only in the stage of survey viz., the Jog Falls Scheme and the Mekadatu Power Scheme. The Cynamide Scheme is also still in the stage of survey. For reasons stated in the last para of my letter dated 17th August 1918, the present head 35 Miscellaneous Railway Expenditure may be expanded as follows:-

Miscellaneous Railway and Electrical Expenditure

35 Miscellaneous Railway Expenditure

1. Railway General Charges
2. Railway Surveys
3. Land for Guaranteed Railways

36 Mis: Electrical Expenditure

- Surveys of Electrical Schemes
Jog Falls
Mekadatu
Cynamide
&c

4. For recording the Revenue transactions of the Electrical Works

head XXXVI C.P.S. on the receipt side may be expanded as follows:-

XXXVI Electrical Works - Net Receipts

1. Cauvery Power Scheme
 - i. Gross Receipts
 - ii. Deduct Working Expenses
 - iii. Deduct Depreciation Charges
 - iv. Net Receipts.

2. Krishnarajasagara Power Scheme

3. Electrical Tramways

Subordinate heads

as under Cauvery

XYV)

210

Receipt

1918-19

194/19

XYVI)

= 3 =

4. Telephones

Power Scheme
above.

I have the honour to be,

Sir,

Your most obedient servant,

M. H. Clements - R. C.
Comptroller.

CV/5-3

d

D.O. Letter No. 60 dated the 3rd March 1919 from the Chief Electrical Engineer to the Government of Mysore, Bangalore, to the Comptroller in Mysore, Bangalore.

=====

Your D.O. No. 2257 dated the 6/7th Feb. 19 received and I would like to inform you that the opinion I hold in connection with the Krishnarajasagara Power Scheme is that the whole of this part of the K'Sagara Project should be treated as a part of the Electrical Department and the capital expenditure therefor be carried as a separate item. Up to now, all the expenditure that has been incurred on the installation of the forebay gates in the dam has been charged to the Reservoir Project itself, but that arrangement was made some time ago and previous to our taking up this question. I discussed this with Mr. K. Krishniengar the other day at the site and he is quite willing that all of the expenditure be transferred to the Electrical Department, and I would suggest that this be done and all future expenditure both capital and Revenue, be charged thereto.

2. Because the forebay gates are installed in the dam and the generating station buildings located immediately on the downstream side of the dam, does not imply that the cost therefor should be borne by the K'Sagara Project itself; what I mean is this: - the forebay gates, as we are installing are considerably more expensive than the ordinary sluice gates that would have to be installed in the dam to discharge the required water for the Power Scheme were the -- Generating Station located some miles away - for instance, at some point down the river as the Generating Station at Sivasamudram; while at the same time, the location of the Generating Station at the dam saves to the Electrical Project the cost of long canals and makes available for use at the turbines the head due to the water level above the dam. The proposition might be expressed this way: that it is much cheaper and more advantageous to have the Generating Station at the dam and the necessary forebay gates and equipments installed in

the dam than to have the Generating Station some distance away, and at the same time does not imply that the cost of the electrical scheme should be a part of the Reservoir Scheme.

3. The present arrangement is that the whole of the K'sagar Hydro-electric Power Scheme will be a branch of the Electrical Department and will be constructed and operated by us.

4. The draft accompanying your above D.O. letter is quite all right and the same is herewith returned.

" Copy "

A. Vasasawmy Imlr 5/2/19.

For Superintendent, Comptroller's Office,

Records Section.

CV/5-3

29

D.O.No.2257/Books. dated the 7th February 1919 from the Comptroller in Mysore, Bangalore, to the Chief Electrical Engineer to the Govt. of Mysore, Bangalore.

=====

With reference to our conversation to-day, I enclose for your information the draft of my reply which I propose to send to Government. I have not sent the reply to Government as there is one point of doubt which I wish to clear by reference to you. I am not quite sure if the ^{Power scheme is part of the Krishnarajasagara} Krishnaraja Sagara Project or an independent project entirely under the control of the Electrical Department. I do not also know how the earnings of this project will be calculated and treated as the revenue of the reservoir. As the electrical revenue of the reservoir will be part of the earnings of the Krishnaraja Sagara Project, the question has to be considered whether the transactions, both Capital and Revenue, of this Power Scheme should not be recorded under the heads relating to the K.R.S. Project itself. As I understand this project, it is both electrical and irrigational and with a view to show in one place the Capital and Revenue transactions of the Reservoir even the outlay relating to the Power Scheme connected with the Reservoir will have to be brought under the heads opened for recording the Reservoir transactions. Though the Power Scheme may be part of the Reservoir Project, it will, I take it, be certainly under your control and in this way this scheme also has to be treated as a Branch of the Electrical Department. But such treatment will be only for purposes of administration and control. So far as the heads for recording the transactions are concerned, I am not sure if the K.R.S. heads themselves - Capital and Revenue are not more appropriate. If they are more appropriate, the account entries relating to this scheme must appear under them and not under the heads opened for works of the Electrical Department like the C.P.S. At the same time I do not see any objection to the inclusion of the transactions of this Power Scheme also in the ~~xxxxxx~~ reports of your Department. Such inclusion is even necessary

R e a d :-

Letter No.552/ Books dated 17th August 1918 from the Comptroller suggesting the prescribing of appropriate heads for recording charges incurred by the Electrical Department other than -- those relating to the C.P.S. like those relating to Telephone system, Cyanamide experiments and Jog Scheme Survey.

(2) Memo from the Chief Electrical Engineer submitting for information copy of his letter No.m.10933-9 dated 27th August 1918 to the Comptroller suggesting suitable heads for the -- Budget of the Electrical Department.

(3) Correspondence ending with letter No.Books 2509 dated 5th March 1919 from the Comptroller submitting his final recommendations in consultation with the Chief Electrical Engineer regards the opening of suitable heads of account for recording the Capital and Revenue transactions connected with the new activities ~~with the new~~ of the Electrical Department *in estimates and accounts.*

(To be read in extenso)

(4) Un-official* Memo No.C.P.S. 35b dated 24th April 1919 from the -- Secretary P.W.D. agreeing to the arrangement proposed by the Comptroller in concurrence with the Chief Electrical Engineer.

Order No.

30
Jl 6680-4/G+18-18
-8

Dated Bangalore 18 June/19

14/3/19
The Comptroller's proposals made in his letter of 5th March 1919 for opening suitable capital and revenue heads for recording the transactions of the Electrical Department and for opening new minor heads under 35 Miscellaneous Railway expenditure are sanctioned.

12/7/19
Financial Secretary to Govt.

To

18
23/5

The Comptroller, Mysore Govt.

The Secretary, P.W. D, returning papers received with No.C.P.S. 753

The Chief Electrical Engineer dated 18-10-18

The Examiner of Accounts Mysore Rys.

The Secy to Rys.

4/10/19
H.L.